

AD 330

Doosan
Mecc Alte
D+ &



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$%
CE	

2000/14/EC
 &\$\$\$#(#
 z) \$' z'z' D:

	"	"	"	"	Amp
400/230	330,00	264,00	300,00	240,00	433,00

fP GDE' GC ;) &
 fDF DE' %s1 % %& GC " \$(** z&(GC

Standard Specifications

z
 fl ! E
 z
 z

ALTERNATOR

D: A Z'5JF
 fl " E
 fP \$\$\$# \$\$\$' E

TRANSFER SWITCH

fl " E

AD 330

Doosan
Mecc Alte
D+' &'

Manufacturer		Doosan		
Model		P126TI-II		
		% \$\$\$' "# "		
		&- (\$\$\$' "		
		0 - (\$\$\$< DQ		
	L	11,050		
	"	123 x 155		
		17,0:1		
	fl # ı	"# "	1500	
	fl ı	L	23,00	
		L	65,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	20,10		
	' # "	295,00		
fl ' # ı	' # "	47,40		
	° C	590,00		
		24 V d.c.		
	Load	% \$\$\$ı	'+)ı) \$\$\$ı
	# "	63,10	47,00	31,30


		Mecc Alte		
		ECO 38-2LN/4		
	Hz	50		
	"	300,00		
7 cg'		0,80		
		3		
	fl ı	400/230		
	A	433,00		
Temperature		H		

		fl ı		fl ı	
	"	"	"	"	L
AD 330	2375,00	2950,00	1300,00	1588,00	450,00
		fl ı		fl ı	
	"	"	"	"	L
MS 60	3065	4000	1300	1970	450

AD 330

Doosan
Mecc Alte
D+' &'

1 D+' &'



2

8G9ž +' &\$ž) 5ž&&\$#(\$

3

4

5

8G9+' &\$ž &&\$' ž " 8G9+' &\$' 8G9+' &\$' ž " % &1 *(' " žFG&' &žFG(,) ž " ž

AD 330

Doosan
Mecc Alte
D+ &

f@#@Bl
f@#@!@t

"z" "z" "z"

f@#@Bl

971

#

#

#

#

#

6G'9B '*\$-)\$

6G'9B '*\$\$\$!*!&

6G'9B '*\$\$\$!*!(

f&)(, t

f&%) +t

f&% \$t

GA 8

!&+""

"

%, !&*(

)
&(\$)

ž

ž

ž


ž

"

"

AD 330

Doosan
Mecc Alte
D+ &''



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

	"	1300
fl "L	"	4000
fl "L	"	1970
	L	450